

AGENDA
A meeting of the Council of the Corporation
of the Town of Northeastern Manitoulin and the Islands
to be held on Tuesday, June 18th,2024
at 7:00pm

- 1. Call to Order**
- 2. Approval of Agenda**

Deputation – PhD Candidate Reta Meng - Blanding Turtles
- 3. Disclosure of Pecuniary Interest & General Nature Thereof**
- 4. Minutes of Previous Meeting**
 - i. Confirming By-Law 2024-16
- 5. New Business**
 - i. Appointment to the Police Services Board
 - ii. Donation request – Legion banners
 - iii. Motion of support – Exotic animals
 - iv. Upcoming meeting dates
 - v. Manitoulin Streams award
- 6. Minutes and Reports**
 - i. OCWA – Water and Lagoon monthly monitoring reports
- 7. Adjournment**

PhD candidate Reta Meng completed a comprehensive study on the endangered Blanding's Turtle population found in McGregor Bay from 2021-2023 and will be sharing some general findings, proposed important management strategies, and outline next steps in freshwater turtle conservation. She will also provide a brief overview on her ongoing work with Whitefish River First Nation to build a long-term turtle conservation program in Birch Island and Rainbow Country.

I look forward to speaking with the NEMI council. Have a wonderful day.

**THE CORPORATION OF THE TOWN OF
NORTHEASTERN MANITOULIN AND THE ISLANDS**

BY-LAW NO. 2024-16

Being a by-law of the Corporation of the Town of Northeastern Manitoulin and the Islands to adopt the minutes of Council for the term commencing November 15, 2022 and authorizing the taking of any action authorized therein and thereby.

WHEREAS the Municipal Act, S.O. 2001, c. 25. s. 5 (3) requires a Municipal Council to exercise its powers by by-law, except where otherwise provided;

AND WHEREAS in many cases, action which is taken or authorized to be taken by a Council or a Committee of Council does not lend itself to an individual by-law;

NOW THEREFORE THE COUNCIL OF THE CORPORATION OF THE TOWN OF NORTHEASTERN MANITOULIN AND THE ISLANDS ENACTS AS FOLLOWS:

1. THAT the minutes of the meetings of the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands for the term commencing November 15, 2022

June 4, 2024

June 6, 2024

are hereby adopted.

2. THAT the taking of any action authorized in or by the minutes mentioned in Section 1 hereof and the exercise of any powers by the Council or Committees by the said minutes are hereby ratified, authorized and confirmed.
3. THAT, where no individual by-law has been or is passed with respect to the taking of any action authorized in or by the minutes mentioned in Section 1 hereof or with respect to the exercise of any powers by the Council or Committees in the above-mentioned minutes, then this by-law shall be deemed for all purposes to be the by-law required for approving and authorizing the taking of any action authorized therein or thereby or required for the exercise of any power therein by the Council or Committees.
4. THAT the Mayor and proper Officers of the Corporation of the Town of Northeastern Manitoulin and the Islands are hereby authorized and directed to do all things necessary to give effect to the recommendations, motions, resolutions, reports, action and other decisions of the Council or Committees as evidenced by the above-mentioned minutes in Section 1 and the Mayor and Clerk are hereby authorized and directed to execute all necessary documents in the name of the Corporation of the Town of Northeastern Manitoulin and the Islands and to affix the seal of the Corporation thereto.

READ A FIRST, SECOND AND THIRD TIME AND FINALLY PASSED THIS
18th day of June, 2024.

Al MacNevin

Mayor

Pam Myers

Clerk

The Corporation of the Town of Northeastern Manitoulin and the Islands
Minutes of a Council meeting held Tuesday, June 4th, 2024

PRESENT: Mayor Al MacNevin, Councillors: Patti Aelick, Al Boyd, Laurie Cook, Mike Erskine, George Williamson, William Koehler, Bruce Wood and Dawn Orr

ABSENT: Councillor Al Boyd

STAFF PRESENT: David Williamson, CAO
Pam Myers, Clerk

Mayor MacNevin called the meeting to order at 7:00 p.m.

Disclosure of pecuniary interest and the general nature thereof – none.

Resolution No.120-06-2024

Moved by: B. Wood

Seconded by: G. Williamson

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves agenda as presented.

Carried

Resolution No. 121-06-2024

Moved by: W. Koehler

Seconded by: P. Aelick

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands now reads a first, second and third time and finally passes By-law 2024-13 being a by-law to adopt the minutes of Council for the term commencing November 15th, 2022 and authorizing the taking of any action therein and thereby.

Carried

Resolution No. 122-06-2024

Moved by: D. Orr

Seconded by: L. Cook

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands now reads a first, second and third time and finally passes By-law 2024-15, being a by-law to enter into an agreement with Circular Materials Ontario.

Carried

Resolution No. 123-06-2024

Moved by: P. Aelick

Seconded by: B. Wod

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands appoints Melissa Volpini to the Library Board.

Carried

Resolution No. 124-06-2024

Moved by: M. Erskine

Seconded by: D. Orr

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands authorize the use of the following locations and items for the Pride Manitoulin Group on June 22nd

1. The use of the library parking lot for the start of the 5K run in cooperation with the Library Staff
2. The use of the Low Island Pavilion for the start of the 1K run
3. The use of the grass area adjacent to the Farmers Market for a BBQ
4. Access to an electrical outlet for a blow-up rainbow finish line.

A certificate of insurance shall be provided to the Town with the Town being listed as a named insured. All requests will be discussed and arranged with the Manager of Community Services.

Carried

**The Corporation of the Town of Northeastern Manitoulin and the Islands
Minutes of Council**

Page 2

Resolution No. 125-06-2024

Moved by: M. Erskine

Seconded by: W. Koehler

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands authorizes the following for the Pride Manitoulin group for the weekend of August 9 to 11th, 2024.

1. The crosswalks being painted as in previous years by municipal staff
2. Raising of the Pride flag at the Water Street weir location
3. Municipal staff will monitor side streets as the parade moves through town.
4. That group members are allowed to tastefully decorate the downtown core as in previous years.

A certificate of insurance shall be provided to the Town with the Town being listed as a named insured.

All requests will be discussed and arranged with the Manager of Community Services

Carried

Resolution No. 126-06-2024

Moved by: B. Wood

Seconded by: G. Williamson

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands proceeds In Camera in order to address a matter pertaining to a proposed or pending disposition or acquisition of land for municipal or local board purposes.

Carried

Resolution No. 127-06-2024

Moved by: M. Erskine

Seconded by: G. Williamson

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands amends the lease agreement with JMAC group to extend the deck an additional 4' to the west at an additional charge of \$1000 bringing the total annual lease amount to \$2000.

Carried

Resolution No. 128-06-2024

Moved by: D. Orr

Seconded by: B. Wood

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands does now adjourn at 8:20 pm.

Carried

The Corporation of the Town of Northeastern Manitoulin and the Islands
Minutes of a meeting of Council held Thursday, June 6, 2024
at 7:00p.m.

PRESENT: Mayor Al MacNevin, Councillors: Patti Aelick, Al Boyd, Laurie Cook, Mike Erskine, Dawn Orr,
George Williamson, Bruce Wood

ABSENT: Councillor William Koehler

STAFF PRESENT: David Williamson, CAO
Pam Myers, Clerk
Sheryl Wilkin, Treasurer

Mayor MacNevin called the meeting to order at 7:00 p.m.

Resolution No. 129-06-2024

Moved by: M. Erskine

Seconded by: A. Boyd

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves the agenda.

Carried

Resolution No. 130-06-2024

Moved by: M. Erskine

Seconded by: P. Aelick

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands accepts and approves the Financial reports as presented.

Carried

Resolution No.131-06-2024

Moved by: B. Wood

Seconded by: D. Orr

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands does now adjourn at 7:21 pm.

Carried

Al MacNevin Mayor

Pam Myers Clerk



The Royal Canadian Legion Br. 177

P.O. Box 656
Little Current, Ontario PoP 1K0
Phone: 705-368-2661



June 11, 2024

To the Mayor and Council of NEMI:

I would like to say "Thank You" for all your support on the Military Banner project that I have been doing on behalf of The Royal Canadian Legion Br. 177. The support I have received from Council and the staff has been very much appreciated.

I am in the process of starting to collect the information that I require for the next set of banners for this year. As we are running out of poles it has been decided that we rotate them each year which means that the banners obtained the first year will not be put up this year but next.

I read in The Manitoulin Expositor the ad for the McLean's Mountain fund and I would like to request that Council again support the Military Banner project with a donation. The donation of \$500.00 from this fund the past two years has assisted in keeping the price of the banners affordable for families.

This is not a money making project for the Legion as they also assist with a donation from the Catch The Ace ticket money they receive for selling tickets for the Lions Club.

When people compliment me on this project I do not hesitate to tell them that this project would not have happened without the full support it has received from Council and the Town employees.

I am thanking you in advance for considering this request.

Linda Bowerman

Linda Bowerman, Chair of the Banner Committee

Royal Canadian Legion Br. 177

P.O. Box 656

Little Current, Ont. POP 1K0

Tele; 705-368-2465 email: lnbowerman@bell.net

Municipality of Tweed Council Meeting
Council Meeting



Resolution No. 152
Title: Councillor J. Flieler
Date: Tuesday, May 7, 2024

Moved by J. Flieler
Seconded by P. Valiquette

WHEREAS the World Animal Protection Organization has circulated the following resolution to all municipalities in Ontario;

WHEREAS Ontario has more private non-native ("exotic") wild animal keepers, roadside zoos, mobile zoos, wildlife exhibits and other captive wildlife operations than any other province; and,

WHEREAS the Province of Ontario has of yet not developed regulations to prohibit or restrict animal possession, breeding, or use of non-native ("exotic") wild animals in captivity; and,

WHEREAS non-native ("exotic") wild animals can pose very serious human health and safety risks, and attacks causing human injury and death have occurred in the province; and,

WHEREAS the keeping of non-native ("exotic") wild animals can cause poor animal welfare and suffering, and poses risks to local environments and wildlife; and,

WHEREAS owners of non-native ("exotic") wild animals can move from one community to another even after their operations have been shut down due to animal welfare or public health and safety concerns; and,

WHEREAS municipalities have struggled, often for months or years, to deal with non-native ("exotic") wild animal issues and have experienced substantive regulatory, administrative, enforcement and financial challenges; and,

AND WHEREAS the Association of Municipalities of Ontario (AMO), the Association of Municipal Managers, Clerks and Treasurers of Ontario (AMCTO) and the Municipal Law Enforcement Officers' Association (MLEOA) have indicated their support for World Animal Protection's campaign for provincial regulations of non-native ("exotic") wild animals and roadside zoos in letters to the Ontario Solicitor General and Ontario Minister for Natural Resources and Forestry;

THEREFORE, BE IT RESOLVED THAT given the recent baboon biting incident in Kirkland Lake ON, the Municipality of Tweed hereby petitions the provincial government to implement provincial regulations to restrict the possession, breeding, and use of non-native ("exotic") wild animals and license zoos in order to guarantee the fair and consistent application of policy throughout Ontario for the safety of Ontario's citizens and the non-native ("exotic") wild animal population;

AND BE IT FURTHER RESOLVED that this resolution will be forwarded to all municipalities in Ontario for support and that each endorsement be then forwarded to the Premier of Ontario (premier@ontario.ca), Ontario Solicitor General (michael.kerzner@ontario.ca), Ontario Minister for Natural Resources and Forestry (graydon.smith@ontario.ca) and MPP Ric Bresee, AMO (amo@amo.on.ca), AMCTO (advocacy@amcto.com), and MLEAO (mleo@mleoa.ca).

July 2024

August 2024

Su	Mo	Tu	We	Th	Fr	Sa
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

July 2024

Su	Mo	Tu	We	Th	Fr	Sa
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
Jun 30	Jul 1	2 Council Meeting	3 Council Meeting	4 Council Meeting	5	6
7	8	9	10	11	12	13
14	15	16 Council	17	18 Council Meeting	19	20
21	22	23	24	25	26	27
28	29	30	31	Aug 1	2	3

August 2024

August 2024							September 2024						
Su	Mo	Tu	We	Th	Fr	Sa	Su	Mo	Tu	We	Th	Fr	Sa
4	5	6	7	8	9	10	1	2	3	4	5	6	7
11	12	13	14	15	16	17	8	9	10	11	12	13	14
18	19	20	21	22	23	24	15	16	17	18	19	20	21
25	26	27	28	29	30	31	22	23	24	25	26	27	28
							29	30					

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
Jul 28	29	30	31	Aug 1	2	3
4	5	6 Council Meeting	7	8 Council Meeting	9	10
11	12	13	14	15	16	17
18 AMO	19 AMO	20 AMO Council Meeting	21 AMO	22 Council Meeting	23	24
25	26	27	28	29	30	31

Report Start Date: May 1, 2024 12:00 AM
 Report End Date: May 31, 2024 11:59 PM
 Location: 6278*
 Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM
 Work Order Class:

WO #	Asset Description	Location/Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail	
			Type	Class	FEQ.	Units	Status	Schedule Start	Actual Start	Actual Finish		
3922015	6278, Little Current WTP	6278, Little Current WTP	PM	Inspection	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:15 AM	5/28/24 09:15 AM	Critical Alarm/Dialer Testing (1m) 6278	
3922383	6278, Little Current WTP	6278, Little Current WTP	PM	Health and Safety	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:16 AM	5/28/24 09:16 AM	Critical Alarm/Dialer Testing (1m) 6278 Tested h/o c12 cw press turbidity ok	
3922481	6278, Little Current WTP	6278, Little Current WTP	PM	Calibration	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:17 AM	5/28/24 09:17 AM	Health And Safety Inspection (1m) 6278 no issues	
3922553	6278, Little Current WTP	6278, Little Current WTP	PM	Calibration	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:18 AM	5/28/24 09:18 AM	Analyzer Chlorine Inspection/Service (1m) 6278	
3923794	6278, Little Current WTP	6278, Little Current WTP	PM	Inspection	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:23 AM	5/28/24 09:23 AM	Analyzer Turbidity Inspection/Service (1m) 6278	
3923792	GENERATOR DIESEL WTP - Facility, Power Generators Permanent	6278, Little Current WTP - Facility, Power Generators Permanent	PM	Refurbish/Replace/Repair	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:25 AM	5/28/24 09:25 AM	TPM Inspection/Maintenance (1m) 6278 TPM Inspection/Maintenance (1m) 6278 Performed 1 PM insp/maint OK	
												Diesel Generator Inspection/Functional Test (1m) 6278 Diedel Generator Inspection/Functional Test (1m) 6278 Fill load tested ok. Annual maintenance performed.

Report Start Date: May 1, 2024 12:00 AM
 Report End Date: May 31, 2024 11:59 PM
 Location: 6278*
 Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM
 Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail
				Type	Class	FFQ	Units	Status	Schedule Start	Actual Start	Actual Finish	
3925610		6278. Little Current WTP	6278. Little Current WTP	OPER	Compliance	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:26 AM	5/28/24 09:26 AM	WISKI Review (1m) 6278
3925630		6278. Little Current WTP	6278. Little Current WTP	OPER	Compliance	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:27 AM	5/28/24 09:27 AM	WISKI Review (1m) 6278 Review input corrected data WISKI Review (1m) 5823 WISKI Review (1m) 5823 input flows
3937802		6278. Little Current WTP	6278. Little Current WTP	PM	Compliance	5	YEARS	COMP	5/1/24 12:00 AM	5/28/24 09:28 AM	5/28/24 09:28 AM	Contingency Review - CP-02 Critical Injury (5) 6278 -Contingency Review - CP-02 Critical Injury (5) 6278
3947419		Little Current Water Treatment Plant	Little Current Water Treatment Plant	EMER	Compliance	0		COMP		5/1/24 04:00 PM	5/1/24 08:30 PM	Little Current Water Treatment Plant water main break water st Little Current Water Treatment Plant water main break water st Category 1 Courtesy call to MOH See log book
3947420		Little Current Water Treatment Plant	Little Current Water Treatment Plant	EMER	Refurbish/ Replace/Repair	0		COMP		5/2/24 04:00 PM	5/2/24 08:00 PM	Little Current Water Treatment Plant Noretech TS HLP 6110 VFD
3947961		6278. Little Current WTP. Process. Highlift	6278. Little Current WTP. Process. Highlift	CALL	Refurbish/ Replace/Repair	0		COMP		5/5/24 06:45 PM	5/5/24 07:30 PM	6278 Low Pressure alarm - Call in for Low Pressure Alarm Found issues with HLP #6110 and switch to HLP #6210. Pressure and flow rate stabilized following pump switch. All good
3948057		Little Current Water Treatment Plant	Little Current Water Treatment Plant	CAP	Compliance	0		COMP		5/6/24 02:33 PM	5/6/24 02:33 PM	Little Current Water Treatment Plant airport sampling Little Current Water Treatment Plant airport sampling

Report Start Date: May 1, 2024 12:00 AM

Report End Date: May 31, 2024 11:59 PM

Location: 6278*

Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM

Work Order Class

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog:Detail	
				Type	Class	FEQ	Units	Status	Schedule Start	Actual Start	Actual Finish		
3948078			Little Current Water Treatment Plant	CAP	Predictive Maintenance	0		Hydrant APM-Flush	COMP	5/6/24 07:54 PM	5/6/24 07:54 PM		- Called in for a low distribution pressure alarm. Arrived on site to pressure okay and plant running smoothly. Sharp drop in pressure on trending but quickly returned to normal.
3951111			Little Current Water Treatment Plant	CALL	Compliance	0		6278 - Little Current WTP - Low Pressure	COMP	5/14/24 07:47 PM	5/14/24 11:47 PM		

Report Start Date: May 1, 2024 12:00 AM

Report End Date: May 31, 2024 11:59 PM

Location: 5823*

Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM

Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				Worklog Detail	
				Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start		Actual Finish
39231974	0000228125	PANEL ALARM/DIALER WATER MAIN PS	5823, Little Current WWTL, Process, Control & Monitoring	PM	Inspection	1	MONTHS	Critical Alarm/Dialer Testing (1m) 5823	COMP	5/1/24 12:00 AM	5/28/24 10:01 AM	5/28/24 10:01 AM	Critical Alarm/Dialer Testing (1m) 5823
3923264			5823, Little Current WWTL	PM	Health and Safety	1	MONTHS	Health And Safety Inspection (1m) 5823	COMP	5/1/24 12:00 AM	5/28/24 10:02 AM	5/28/24 10:02 AM	Critical Alarm/Dialer Testing (1m) 5823 tested hi level alarms ok Health And Safety Inspection (1m) 5823 Health And Safety Inspection (1m) 5823 no issues
3923174			5823, Little Current WWTL	PM	Inspection	1	MONTHS	TPM Inspection/Maintenance (1m) 5823	COMP	5/1/24 12:00 AM	5/28/24 10:03 AM	5/28/24 10:03 AM	TPM Inspection/Maintenance (1m) 5823 performed tpn insp/maint ok
3923199	0000228106	GENERATOR CAMPBELL PS DIESEL	5823, Little Current WWTL, Facility, Power Generation, Power Generators Permanent	PM	Refurbish/Replace/Repair	1	MONTHS	Campbell PS Diesel Generator Inspection/Functional Test (1m/1y) 5823	COMP	5/1/24 12:00 AM	5/28/24 10:05 AM	5/28/24 10:05 AM	Campbell PS Diesel Generator Inspection/Functional Test (1m/1y) 5823 Campbell PS Diesel Generator Inspection/Functional Test (1m/1y) 5823 full load tested ok
3923229	0000228155	GENERATOR ROBINSON PS DIESEL	5823, Little Current WWTL, Facility, Power Generation, Power Generators Permanent	PM	Refurbish/Replace/Repair	1	MONTHS	Robinson PS Diesel Generator Inspection/Functional Test (1m/1y) 5823	BUSCOMP	5/1/24 12:00 AM	5/28/24 10:06 AM	5/28/24 10:06 AM	Robinson PS Diesel Generator Inspection/Functional Test (1m/1y) 5823 Robinson PS Diesel Generator Inspection/Functional Test (1m/1y) 5823 full load tested ok

Report Start Date: May 1, 2024 12:00 AM

Report End Date: May 31, 2024 11:59 PM

Location: 5823*

Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM

Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail
				Type	Class	REQ	Units	Status	Schedule Start	Actual Start	Actual Finish	
3923265	0000228136	GENERATOR WATER ST PS DIESEL	5823 - Little Current WWTL Facility - Power Generators Permanent	PM	Refurbish/ Replace/Repair	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 10:08 AM	5/28/24 10:08 AM	Water ST PS Diesel Generator Inspection/Functional Test (1m/Y) 5823
3923335	0000228118	GENERATOR WATER MAIN PS DIESEL	5823 - Little Current WWTL Facility - Power Generators Permanent	PM	Refurbish/ Replace/Repair	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 10:09 AM	5/28/24 10:09 AM	Water Main PS Diesel Generator Inspection/Functional Test (1m/Y) 5823 full load tested ok
3950417			Little Current Wastewater Treatment Lagoon	EMER	Compliance	0		COMP		5/14/24 04:00 PM	5/15/24 07:30 AM	Little Current Wastewater Treatment Lagoon pump 1 overload Man station as overload on pump 1 was continuously tripping
3951116			Little Current Wastewater Treatment Lagoon	CALL	Compliance	0		COMP		5/16/24 05:54 PM	5/16/24 09:54 PM	- Alarm call in for high level alarm Arrived on site and reset pump Pump not resetting properly - set up portable pump for the weekend alongside OIC Jeff Tuok
3951112			Little Current Wastewater Treatment Lagoon	CALL	Compliance	0		COMP		5/17/24 06:01 AM	5/17/24 06:01 AM	- Portable pump on Water St ran out of fuel alarm Filling up pump with fuel alongside town works crew Did not take a lot of fuel and levelled system in case of accidental low fuel alarm Portable pump started and pumped down Notified ORO and Supervisors All as per OIC

Report Start Date: May 1, 2024 12:00 AM
 Report End Date: May 31, 2024 11:59 PM
 Location: 5823*
 Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM
 Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details			WorkLog Detail
				Type	Class	FEQ	Units	Status	Schedule Start	Actual Start	
3951048		Little Current Wastewater Treatment Lagoon	Little Current Wastewater Treatment Lagoon	CALL	Refurbish/ Replace/Repair	0		COMP	5/16/24 06:00 PM	5/16/24 09:00 PM	Little Current Wastewater Treatment Lagoon pump 1 fail - Little Current Wastewater Treatment Lagoon pump 1 fail - Assist oc operator setting up portable pump
3951051		Little Current Wastewater Treatment Lagoon	Little Current Wastewater Treatment Lagoon	CALL	Refurbish/ Replace/Repair	0		COMP	5/17/24 06:00 AM	5/17/24 07:00 AM	Little Current Wastewater Treatment Lagoon contacted by oc operator - Little Current Wastewater Treatment Lagoon contacted by oc operator regarding running out of fuel
3951052		Little Current Wastewater Treatment Lagoon	Little Current Wastewater Treatment Lagoon	CALL	Refurbish/ Replace/Repair	0		COMP	5/17/24 04:45 PM	5/17/24 06:00 PM	Little Current Wastewater Treatment Lagoon High level alarm - Level had reset upon arrival - Portable pump cycling on level
3951053		Little Current Wastewater Treatment Lagoon	Little Current Wastewater Treatment Lagoon	CALL	Refurbish/ Replace/Repair	0		COMP	5/18/24 06:30 AM	5/18/24 08:00 AM	Little Current Wastewater Treatment Lagoon high level alarm - Little Current Wastewater Treatment Lagoon high level alarm - Check system ok. Portable pump cycling with all level and occasionally goes into high level
3951055		Little Current Wastewater Treatment Lagoon	Little Current Wastewater Treatment Lagoon	CALL	Refurbish/ Replace/Repair	0		COMP	5/18/24 05:00 PM	5/18/24 08:30 PM	Little Current Wastewater Treatment Lagoon high level - Little Current Wastewater Treatment Lagoon high level - Contacted by Wayne to check on pumping system - Installed a bleeder hose on portable pump to allow for easier pump priming - Watched several pump cycles. Called Walter's in as a precaution

Report Start Date: May 1, 2024 12:00 AM
 Report End Date: May 31, 2024 11:59 PM
 Location: 6279*
 Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM
 Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details			WorkLog Detail	
				Type	Class	FEQ	Units	Status	Schedule Start	Actual Start		Actual Finish
3922101	000028229	PANEL ALARM/DIALER 1 SHEQUINDAH WTP PLANT	6279, Shequindah WTP Process Control & Monitoring	PM	Inspection	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:31 AM	5/28/24 09:31 AM	Critical Alarm/Dialer Testing (1m) 6279 Critical Alarm/Dialer Testing (1m) 6279 Tested h/o cv d2 flow turbidity
3922108		6279, Shequindah WTP Process Disinfection	6279, Shequindah WTP Process Disinfection	PM	Calibration	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:32 AM	5/28/24 09:32 AM	UV Sensor Verification (1m/2s) 6279 UV Sensor Verification (1m/2s) 6279 Ref. radiometer has not returned
3922304		6279, Shequindah WTP	6279, Shequindah WTP	PM	Health and Safety	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:33 AM	5/28/24 09:33 AM	Health And Safety Inspection (1m) 6279 Health And Safety Inspection (1m) 6279 no issues
3922401		6279, Shequindah WTP	6279, Shequindah WTP	PM	Calibration	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:34 AM	5/28/24 09:34 AM	Analyzer Chlorine Inspection/Service (1m) 6279 Analyzer Chlorine Inspection/Service (1m) 6279 cleaned and calibrated
3922605		6279, Shequindah WTP	6279, Shequindah WTP	PM	Calibration	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:35 AM	5/28/24 09:35 AM	Analyzer Turbidity Inspection/Service (1m) 6279 Analyzer Turbidity Inspection/Service (1m) 6279 cleaned and calibrated
3923887		6279, Shequindah WTP	6279, Shequindah WTP	PM	Inspection	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:36 AM	5/28/24 09:36 AM	TPM Inspection/Maintenance (1m) 6279 TPM Inspection/Maintenance (1m) 6279 Performed tpm insp/maint ok

Report Start Date: May 1, 2024 12:00 AM
 Report End Date: May 31, 2024 11:59 PM
 Location: 6279*
 Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM
 Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details				WorkLog Detail
				Type	Class	FEQ	Units	Status	Schedule Start	Actual Start	Actual Finish	
3923935	0000228185	GENERATOR SHEGUIANDAH WTP DIESEL	6279, Sheguiandah WTP, Facility, Power Generation, Power Generators Permanent	PM	Refurbish/ Replacer/Repair	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:37 AM	5/28/24 09:37 AM	Diesel Generator Inspection/ Functional Test (lm) 6279 - Diesel Generator Inspection/ Functional Test (lm) 6279 - Full load tested ok - annual maint performed by vals - WISKI Review (lm) 6279
3925659			6279, Sheguiandah WTP	OPER	Compliance	1	MONTHS	COMP	5/1/24 12:00 AM	5/28/24 09:39 AM	5/28/24 09:39 AM	WISKI Review (lm) 6279 - input correct reviewed data
3937782			6279, Sheguiandah WTP	PM	Compliance	5	YEARS	BUSCOMP	5/1/24 12:00 AM	5/28/24 09:39 AM	5/28/24 09:39 AM	Contingency Review - CP-02 Critical Injury (5) 6279 - Contingency Review - CP-02 Critical Injury (5) 6279
3949332			Sheguiandah Water Treatment Plant	CAP	Predictive Maintenance	0		COMP		5/10/24 03:32 PM	5/10/24 03:32 PM	Main Valve Exercising - Performed Valve Exercising throughout distribution system Main Valve Exercising-Maintenance - Main Valve maintenance-cleaned out obstruction in main valve boxes with valve trailer
3949333			Sheguiandah Water Treatment Plant	CAP	Predictive Maintenance	0		COMP		5/10/24 03:39 PM	5/10/24 03:39 PM	Hydrant APM-Flush - Performed Hydrant APM-Flush throughout distribution system

Report Start Date: May 1, 2024 12:00 AM
 Report End Date: May 31, 2024 11:59 PM
 Location: 6279*
 Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM
 Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details			WorkLog Detail		
				Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start		Actual Start	Actual Finish
3951914			6279, Sheguindah WTP, Process, Storage	CALL	Refurbish/ Replace/Repair	0		6279 Low Clearwell Alarm	COMP		5/24/24 08:30 PM	5/25/24 04:30 AM	6279 Low Clearwell Alarm - Call in for low clearwell alarm Plant flows had greatly increased in last two days and plant unable to keep up and clearwell level dropping. Reset plant and LLP duty to get plant started. Verif, C12 and plant operation. Tried to increase flow through filters but filters unable to put more flow through. Switch LLP and tried to reset HLP KPA start/stop points which sometime then went back to original max KPA setting of 800 KPA so had to run plant in manual. Called out NEMI distribution crew who checked for leak but were unable to find it. Ran plant in manual mode and switched HLP to manual on at about 4 AM. Will have to return tomorrow to verify operation. 6279 Low Clearwell Alarm - Contacted by General Manager for update on plant clear well level. Plant still operating in manual mode. Verif, plant operation. Vic onsite to do leak detection in distribution. Contacted Notices to troubleshoot issues with Scada HLP KPA set points. Log Bruce in through iPhone to correct problem which turned out to be that changing KPA set point from 1040 KPA to reset to Max allowable of 800 KPA. Bruce able to change Max allowable to 1100 KPA. Sheg 6279 Low clearwell alarm - Call in for Low Clearwell Alarm. LLP duty sequence had changed in Scada and LLP tripped out. Switch duty sequence so all three cycles start with LLP #1 and restart plant. Verif, plant operation and clearwell level starting to increase.
3951916			6279, Sheguindah WTP, Process, Storage	CALL	Refurbish/ Replace/Repair	0		6279 Low Clearwell Alarm	COMP		5/25/24 11:30 AM	5/25/24 03:00 PM	
3951920			6279, Sheguindah WTP, Process, Storage	CALL	Refurbish/ Replace/Repair	0		Sheg 6279 Low clearwell alarm	COMP		5/26/24 02:00 AM	5/26/24 03:00 AM	

Report Start Date: May 1, 2024 12:00 AM

Report End Date: May 31, 2024 11:59 PM

Location: 6279*

Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM

Work Order Class:

WO #	Asset ID	Asset Description	Location Description	WorkOrder		PM Schedule		Workorder Details			Work Log Detail
				Type	Class	FEQ	Units	Status	Schedule Start	Actual Start	
3951922			Sheguandah Water Treatment Plant	CAP	Refurbish/ Replace/Repair	0		COMP	5/26/24 11:43 AM	5/26/24 11:43 AM	6279 Sheg WTP Nortec to reset HLP KPA seipoints - Put in capital WO for Nortec to reset HLP. Max allowable KPA set Point from default to required parameter for Sheg WTP. Bruce logged in from iPhone and replaced seipoints
3951931			Sheguandah Water Treatment Plant	CAP	Inspection	0		COMP	5/26/24 03:54 PM	5/26/24 03:54 PM	Leak Detection - Performed Leak detection throughout distribution system. Did not find any known leaks
3952391			Sheguandah Water Treatment Plant	CALL	Predictive Maintenance	0		COMP	5/24/24 11:30 PM	5/24/24 11:45 PM	Sheguandah Water Treatment Plant leak detection
3952392			Sheguandah Water Treatment Plant	CALL	Refurbish/ Replace/Repair	0		COMP	5/25/24 12:00 PM	5/25/24 12:45 PM	Sheguandah Water Treatment Plant leak detection - Assist OKO with leak detection information
3952402			Sheguandah Water Treatment Plant	CAP	Refurbish/ Replace/Repair	0		COMP	5/28/24 10:15 AM	5/28/24 10:15 AM	Sheguandah Water Treatment Plant lip replacements - Sheguandah Water Treatment Plant lip replacements