

AGENDA
A meeting of the Council of the Corporation
of the Town of Northeastern Manitoulin and the Islands
to be held on Tuesday, May 20, 2025
at 7:00pm

- 1. Call to Order**
- 2. Approval of Agenda**
- 3. Disclosure of Pecuniary Interest & General Nature Thereof**
- 4. Minutes of Previous Meeting**
 - i. Confirming By-Law 2025-15
- 5. New Business**
 - i. Sea/Shipping Containers (Portable Storage Container)
 - ii. Gail Gjos – Bocce Courts
- 6. Minutes and Reports**
 - i. OCWA monthly reports
- 7. Adjournment**

**THE CORPORATION OF THE TOWN OF
NORTHEASTERN MANITOULIN AND THE ISLANDS**

BY-LAW NO. 2025-15

Being a by-law of the Corporation of the Town of Northeastern Manitoulin and the Islands to adopt the minutes of Council for the term commencing November 15, 2022 and authorizing the taking of any action authorized therein and thereby.

WHEREAS the Municipal Act, S.O. 2001, c. 25. s. 5 (3) requires a Municipal Council to exercise its powers by by-law, except where otherwise provided;

AND WHEREAS in many cases, action which is taken or authorized to be taken by a Council or a Committee of Council does not lend itself to an individual by-law;

NOW THEREFORE THE COUNCIL OF THE CORPORATION OF THE TOWN OF NORTHEASTERN MANITOULIN AND THE ISLANDS ENACTS AS FOLLOWS:

1. THAT the minutes of the meetings of the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands for the term commencing November 15, 2022

April 22, 2025

April 24, 2025

May 8, 2025

are hereby adopted.

2. THAT the taking of any action authorized in or by the minutes mentioned in Section 1 hereof and the exercise of any powers by the Council or Committees by the said minutes are hereby ratified, authorized and confirmed.
3. THAT, where no individual by-law has been or is passed with respect to the taking of any action authorized in or by the minutes mentioned in Section 1 hereof or with respect to the exercise of any powers by the Council or Committees in the above-mentioned minutes, then this by-law shall be deemed for all purposes to be the by-law required for approving and authorizing the taking of any action authorized therein or thereby or required for the exercise of any power therein by the Council or Committees.
4. THAT the Mayor and proper Officers of the Corporation of the Town of Northeastern Manitoulin and the Islands are hereby authorized and directed to do all things necessary to give effect to the recommendations, motions, resolutions, reports, action and other decisions of the Council or Committees as evidenced by the above-mentioned minutes in Section 1 and the Mayor and Clerk are hereby authorized and directed to execute all necessary documents in the name of the Corporation of the Town of Northeastern Manitoulin and the Islands and to affix the seal of the Corporation thereto.

READ A FIRST, SECOND AND THIRD TIME AND FINALLY PASSED THIS
20th day of May, 2025

Al MacNevin

Mayor

Pam Myers

Clerk

The Corporation of the Town of Northeastern Manitoulin and the Islands
Minutes of a meeting of Council held Tuesday, April 22, 2025
at 7:00p.m.

PRESENT: Mayor Al MacNevin, Councillors: Patti Aelick, Al Boyd, Laurie Cook, Mike Erskine, and George Williamson, Dawn Orr, and William Koehler

ABSENT: Councillor Bruce Wood

STAFF PRESENT: David Williamson, CAO
Pam Myers, Clerk

Mayor MacNevin called the meeting to order at 7:00 p.m.

Resolution No. 79-04-2025

Moved by: M. Erskine

Seconded by: W. Koehler

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves the agenda as presented.

Carried

Resolution No. 80-04-2025

Moved by: P. Aelick

Seconded by: G. Williamson

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands now reads a first, second and third time and finally passes By-law 2025-13, being a by-law to adopt the minutes of Council for the term commencing November 15th, 2022, and authorizing the taking of any action therein and thereby.

Carried

Resolution No. 81-04-2025

Moved by: D. Orr

Seconded by: P. Aelick

RESOLVED THAT the Planning Authority of the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands conditionally approves the application for consent as applied for by Joanne Wade, File Number 2025-04, subject to the following conditions;

1. new boundaries will be registered
2. Easement and Easement agreement to be registered
3. No building will be permitted on the either lots without consultation with Heritage Canada re Archeological site.
4. Transfer of land form prepared by a solicitor and a schedule to the transfer of land form on which is set out the entire legal description of the parcel,
5. The applicant must deposit a Reference Plan of Survey in the Land Registry Office clearly delineating the parcels of land approved by The Town of Northeastern Manitoulin and the Islands in this decision and provide the Town Office with a copy.
6. Prior to final approval by the Town of Northeastern Manitoulin and the Islands, the owner provide confirmation of payment of all outstanding taxes.

All outstanding fees associated with this application including a fee of \$130 for each transfer of land and advertising cost

Carried

**The Corporation of the Town of Northeastern Manitoulin and the Islands
Minutes of Council**

Page 2

Public Meeting was held for Zoning amendment application as applied for by Chris Blodgett. Mr. Blodgett addressed a number of concerns that had been raised with the municipality. A number of letters for and against the application were read including John Paul Whyatt, Lee Tremblay, Lynda Montgomery, David Gallup, Dan Lunham, Russell Vance, Dax Wilkinson, Patrick Thoburn, Brian Cheadle and Liz Phillips Council decided to defer making a decision and revisit the item on May 8th meeting.

Resolution No.82-04-2025

Moved by: L. Cook

Seconded by: G. Williamson

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands supports the FONOM request for the creation of a new position of Deputy minister or Associate Minister of Transportation specifically responsible for Northern Ontario.

Carried

Resolution No. 83-04-2025

Moved by: A. Boyd

Seconded by: D. Orr

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands supports the Little Current Lions Club and Haweater Weekend by approving the following requests

1. Permission to use the Lions Pavilion for bar and food at Low Island Park
2. Low Island Park for the Ball Tournament, soccer pitch and various other events
3. Closure of Water Street from the Anchor Inn to the Lighthouse west entrance from 6am Friday August 1 to Sunday August 4th
4. Closure of Manitowaning Road from Campbell Street East to the BMO as needed.
5. Closure of Vankoughnet Street East from Northern Life Church to just past the Legion on Saturday August 2nd from 8am to 1pm

Resolution No. 84-04-2025

Moved by: W. Koehler

Seconded by: G. Williamson

Resolved that the Council of the Corporation of the Town of Northeastern Manitoulin and Island supports the Manitoulin Brewery and designates their event being held during Haweater Weekend an event of Municipal Significance.

Carried

Resolution No. 85-04-2025

Moved by: M. Erskine

Seconded by: P. Aelick

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands now adjourns at 8:21 pm.

Carried

The Corporation of the Town of Northeastern Manitoulin and the Islands
Minutes of a meeting of Council held Thursday, April 24, 2025
at 7:00p.m.

PRESENT: Mayor Al MacNevin, Councillors: Laurie Cook, Mike Erskine, and George Williamson William Koehler, Dawn Orr, Patti Aelick, Al Boyd and Bruce Wood

STAFF PRESENT: David Williamson, CAO
Pam Myers, Clerk
Lisa Hallaert – for Community Services
Wayne Williamson – Manager of Public Works
Duane Deschamps – Fire Chief

Mayor MacNevin called the meeting to order at 7:00 p.m.

Councillor Al Boyd declared a conflict with item 5i, Manitoulin Fine Arts

Resolution No. 86-04-2025

Moved by: A. Boyd

Seconded by: M. Erskine

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves the agenda.

Carried

Resolution No. 87-04-2025

Moved by: M. Erskine

Seconded by: P. Aelick

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands donates the use of the main hall to the Manitoulin Fine Arts Association for the 70th Annual Juried Art Exhibition in July, this donation will be donated through Council donations.

Carried

Resolution No. 88-04-2025

Moved by: M. Erskine

Seconded by: D. Orr

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands proceeds In Camera in order to address a matter pertaining to Information explicitly supplied in confidence to the municipality or local board by Canada, a province or territory or a Crown agency or any of them.

Carried

Resolution No. 89-04-2025

Moved by: G. Williamson

Seconded by: D. Orr

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands now reads a first, second and third time and finally passes by-law 2025-14 being a by-law to enter into a funding agreement with Municipal Housing Infrastructure Program.

Carried

Resolution No. 90-04-2025

Moved by: B. Wood

Seconded by: G. Williamson

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands does now adjourn at 7:43 pm.

Carried

The Corporation of the Town of Northeastern Manitoulin and the Islands
Minutes of a meeting of Council held Thursday, May 8, 2025
at 7:00p.m.

PRESENT: Mayor Al MacNevin, Councillors: Laurie Cook, Mike Erskine, and George Williamson, William Koehler, Patti Aelick, Al Boyd and Bruce Wood

ABSENT: Councillor Dawn Orr

STAFF PRESENT: David Williamson, CAO
Pam Myers, Clerk
Sheryl Wilkin, Treasurer

Mayor MacNevin called the meeting to order at 7:00 p.m.

Councillor Cook asked for item 5 iv) to be postponed – Council agreed to the request

Resolution No. 91-05-2025

Moved by: B. Wood

Seconded by: W. Koehler

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves the agenda as amended.

Carried

Resolution No. 92-05-2025

Moved by: M. Erskine

Seconded by: B. Wood

Resolved that the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands now reads a first, second and third time and finally passes by-laws 2025-15 being a by-law to amend by-law 2018-41 by site specific zoning amendment to allow for

1. One day Wedding and Social Events
2. A storage container 18.3m by 2.5 m
3. A vault privy 7m by 4.5m
4. A Gazebo 18.3 by 12.2m
5. Vendor, catering and or beer gardens to support the event
6. Camping (commercial) is not permitted

And Furthermore, that this property is designed by the Town of Northeastern Manitoulin and the Islands as being under Site Plan Control.

Carried

Ayes: Mayor MacNevin, Councillors Aelick, Boyd, Erskine, Koehler, Wood

Nays: Councillors Cook, Williamson

Resolution No. 93-05-2025

Moved by: M. Erskine

Seconded by: P. Aelick

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves the site plan as presented by Chris Blodgett for the property described as Island JD 1467, Location AE 212, PCL 621

And Furthermore the site plan shall be registered on title at the applicant's expense.

Carried

**The Corporation of the Town of Northeastern Manitoulin and the Islands
Minutes of Council**

Page 2

Resolution No. 94-05-2025

Moved by: A. Boyd

Seconded by: W. Koehler

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves the financial reports as presented.

Carried

Resolution No. 95-05-2025

Moved by: P. Aelick

Seconded by: G. Williamson

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands accepts the tendered price from Semple Gooder for maintenance work on the Recreation Center roof in the amount of \$264 000.00 plus HST.

Carried

Resolution No. 96-05-2025

Moved by: L. Cook

Seconded by: A. Boyd

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves the request by Pride Manitoulin for the use of the area in proximity to the Farmers Market Pavilion for a BBQ lunch on June 1st.and to use the Low Island Pavilion of the start of the 1km run.

Carried

Resolution No. 97-05-2025

Moved by: M. Erskine

Seconded by: W. Koehler

Resolved that the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands approves the request by Pride Manitoulin for the following items throughout August 7th to August 10th.

1. The use of Low Island on August 8th, 5:00pm to 11:30 pm for Pride Concert
2. The erection of a large tent on the soccer field
3. The Use of the Recreation Center arena floor area and dressing rooms (in case of Inclement weather) if available
4. The use of 30 chairs
5. The placement of porta-johns in the parking lot close to the soccer field

All purchases are at the expense of Pride Manitoulin.

Pride Manitoulin will work with the Manager of Community Services

Pride Manitoulin will provide the Town with a Certificate of Insurance with the Town listed as a named insured

Carried

Resolution No. 98-04-2025

Moved by: B. Wood

Seconded by: P. Aelick

RESOLVED THAT the Council of the Corporation of the Town of Northeastern Manitoulin and the Islands does now adjourn at 8:19 pm.

Carried



Mayor and Council

Sea/ Shipping Containers

The building dept gets a lot of inquiries regarding sea containers, and if they are permitted.

Currently they are not permitted, and a person must apply for a site-specific zoning amendment and go through that process. If they are granted permission the container does not get added to assessment because it never went through the building permit procedure that would notify MPAC of the structure.

I am proposing that if someone would like to have one of these on a property in NEMI, a letter to council requesting permission (a lot like asking to do work on the municipal road/shore allowance) be submitted for review. If approved the person would have to take out a building permit for an accessory structure with a site plan, and if the size of the container was large enough, then MPAC would pick up and access it.

This would still give council control of permitted locations, bypass the amendment application and process, but also notify MPAC of an added structure for review and possible assessment.

The site plan provided would ensure that the container's placement on the property followed appropriate setbacks for an accessory building with possible restrictions. Example, lot coverage provisions, restricted to certain zones and only allowed in the rear yard.

Consider this as an alternative to our current process,

Respectively,

Rick Armstrong C.B.O.

Wording to be amended in the Zoning By-law to be replaced by

Portable Storage Container shall mean a pre-fabricated metal unit/container, also known as a sea-bin, that is self-contained, used for transportation of goods by air, sea or land and is larger than 3.0 sqm in the area. For the purposes of this by-law a portable storage container is not a structure or a building and is to be used for storage only and not for human habitation.

To

Portable Storage Container – Shall mean a pre-fabricated metal unit/container, also known as sea bin, that is self contained, used for transportation of goods by air, sea or land and is larger than 3.0 sqm in area. For the purposes of this by-law a portable storage container is allowed with granted permission of Council and site plan approval. This type of storage container will be considered a Storage Unit and will require a building permit. No human habitation will be permitted.



March 20,2025

Dear NEMI:

As spring evolves, I would like to draw your attention to something I think would enhance the “ Sheguiandah experience” . I advocated a few years ago for Bocce pitches and they were put in, but have fallen to disrepair due to little or no use. In order to make these more useful and more prominent for park users,I ask this1) could they be revamped2) could we please have a sign installed close to them a) to say what these areas are for b) where the equipment is c) what the basic rules are d) encouragement to form teams and have fun.

Making some of our tax dollars work

Gail Gjos

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 6279*
 Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					WorkLog Detail
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	
446000	0000228229	PANEL ALARM/DIALER I SHEGUIANDAH WTP PLANT	6279, Sheguindah WTP, Process, Process Control & Monitoring	PM	Inspection	1	MONTHS	Critical Alarm/Dialer Testing (1m) 6279	COMP	4/1/25 12:00 AM	4/22/25 01:24 PM	4/22/25 01:24 PM	Critical Alarm/Dialer Testing (1m) 6279 - Critical Alarm/Dialer Testing (1m) 6279 Win911 is active and working as it should. The original system is also active and all working as they should. UV fail test and dialed out as it should.
446167			6279, Sheguindah WTP, Process, Disinfection	PM	Calibration	1	MONTHS	UV Sensor Verification (1m/2y) 6279	COMP	4/1/25 12:00 AM	4/22/25 01:26 PM	4/22/25 01:26 PM	UV Sensor Verification (1m/2y) 6279 - UV Sensor Verification (1m/2y) 6279. UV #1 and #2 are both working as they should and operating in a pass state.
446218			6279, Sheguindah WTP	PM	Compliance	3	MONTHS	Form I-2-3 Requirements (3m) 6279	COMP	4/1/25 12:00 AM	4/16/25 10:49 AM	4/16/25 10:49 AM	Form I-2-3 Requirements (3m) 6279 - Form I-2-3 Requirements (3m) 6279. Require a form 2 for the UV system. All other ok.
446472			6279, Sheguindah WTP	PM	HEALTH AND SAFETY	1	MONTHS	Health And Safety Inspection (1m) 6279	COMP	4/1/25 12:00 AM	4/2/25 12:32 PM	4/2/25 12:32 PM	Health And Safety Inspection (1m) 6279 - Health And Safety Inspection (1m) 6279. No issues and addressed as they arise. All ok.
446625			6279, Sheguindah WTP	PM	Calibration	1	MONTHS	Analyzer Chlorine Inspection/Service (1m) 6279	COMP	4/1/25 12:00 AM	4/8/25 11:51 AM	4/8/25 11:51 AM	Analyzer Chlorine Inspection/Service (1m) 6279 - Analyzer Chlorine Inspection/Service (1m) 6279 clean and calibrate on a ongoing basis. Spare cap and electrolyte on site. All ok.

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 6279*
 Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					WorkLog Detail
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	
446749			6279, Sheguindah WTP	PM	Calibration	1	MONTHS	Analyzer Turbidity Inspection/ Service (1m) 6279	COMP	4/1/25 12:00 AM	4/16/25 10:50 AM	4/16/25 10:50 AM	Analyzer Turbidity Inspection/ Service (1m) 6279 - Analyzer Turbidity Inspection/ Service (1m) 6279 Flush and clean the glassware with hypo this month. Both #1 and #2 are in good order.
448452			6279, Sheguindah WTP	PM	Inspection	1	MONTHS	TPM Inspection/Maintenance (1m) 6279	COMP	4/1/25 12:00 AM	5/2/25 08:48 AM	5/2/25 08:48 AM	TPM Inspection/Maintenance (1m) 6279 - TPM Inspection/Maintenance (1m) 6279.Plant in good order.Exterior ok and new door sweeps are to be ordered and installed.
448461	0000228185	GENERATOR SHEGUIANDAH WTP DIESEL	6279, Sheguindah WTP , Facility, Power Generation, Power Generators Permanent	PM	Refurbish/ Replace/Repair	1	MONTHS	Diesel Generator Inspection/ Functional Test (1m) 6279	COMP	4/1/25 12:00 AM	4/8/25 11:52 AM	4/8/25 11:52 AM	Diesel Generator Inspection/ Functional Test (1m) 6279 - Diesel Generator Inspection/ Functional Test (1m) 6279. Unit ran on sunday for a power outage. All fluids are ok and no issues.
450713			6279, Sheguindah WTP	OPER	Compliance	1	MONTHS	WISKI Review (1m) 6279	COMP	4/1/25 12:00 AM	5/2/25 08:49 AM	5/2/25 08:49 AM	WISKI Review (1m) 6279 - WISKI Review (1m) 6279. Data confirmed and corrections and coments as required
453230			6279, Sheguindah WTP	PM	Inspection	6	MONTHS	Chemical Review/Expiry Verification (6m) 6279	COMP	4/1/25 12:00 AM	4/2/25 12:34 PM	4/2/25 12:34 PM	Chemical Review/Expiry Verification (6m) 6279 - Chemical Review/Expiry Verification (6m) 6279 All in good statnding and no issues
471675	0000392002	ANALYZER ALUMINUM Portable Test Kit	6279, Sheguindah WTP , Process, Process Control & Monitoring	PM	Inspection	1	MONTHS	Analyzer Aluminum DR300 Portable Ol Insp/Calib (1m/1y) - 6279	COMP	4/1/25 12:00 AM	4/16/25 10:47 AM	4/16/25 10:47 AM	

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 6279*
 Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	WorkLog Detail
4485065			6279, Sheguindah WTP	CALL	Refurbish/ Replace/Repair	0		6279 Sheguindah UV fault due to power issues	COMP		4/2/25 08:45 PM	4/2/25 11:30 PM	6279 Sheguindah UV fault due to power issues - 6279 Sheguindah UV fault due to power issues Power issuers across the island and the UV system failed out after a days worth of on/off power. Reset and restart the plant. All was ok.
4486007			6279, Sheguindah WTP	CORR	Refurbish/ Replace/Repair	0		6279 Sheguindah WTP. Critical Alarm.	COMP		4/5/25 11:45 AM	4/8/25 08:46 AM	6279 Sheguindah WTP. Critical Alarm. - 6279 Sheguindah WTP. Critical Alarm. Arrived on site, found the generator in alarm state, overvoltage. Ran generator for a few minutes then placed back into auto, cleared alarm. There was a power bump on site that caused the fault once the generator went to rest all okay.
4486009			6279, Sheguindah WTP	CORR	Refurbish/ Replace/Repair	0		6279 Sheguindah WTP. Critical Alarm.	COMP		4/6/25 12:15 PM	4/6/25 02:30 PM	6279 Sheguindah WTP. Critical Alarm - 6279 Sheguindah WTP. Critical Alarm UV system was in alarm state from another power bump. Reset UV's, ran manually to ensure its working properly, placed back in auto before i left. System working as intended.

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 6279*
 Work Order Type: ADMIN, CALL, CAP, CORR, EMER, OPER, PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	WorkLog Detail
4488686			Sheguiandah Water Treatment Plant	CALL	Compliance	0		6279 - Sheguiandah WTP - Township Call-In	COMP		4/19/25 06:00 PM	4/19/25 10:00 PM	- Notified by town foreman Wayne of complaints about air coming out of a taps in town. Arrived on site No alarms triggered, high lift running with 3.12l/s. Clearwell full Plant running regularly

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 6278*
 Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	WorkLog Detail
4445995			6278, Little Current WTP	PM	Inspection	1	MONTHS	Critical Alarm/Dialer Testing (1m) 6278	COMP	4/1/25 12:00 AM	4/2/25 12:23 PM	4/2/25 12:23 PM	Critical Alarm/Dialer Testing (1m) 6278 - Critical Alarm/Dialer Testing (1m) 6278. Test well level and dialer is working as it should. Confirm alarms on SCADA
4446198			6278, Little Current WTP	PM	Compliance	3	MONTHS	Form 1-2-3 Requirements (3m) 6278	COMP	4/1/25 12:00 AM	4/8/25 11:48 AM	4/8/25 11:48 AM	Form 1-2-3 Requirements (3m) 6278 - Form 1-2-3 Requirements (3m) 6278 No form required this month.
4446461			6278, Little Current WTP	PM	HEALTH AND SAFETY	1	MONTHS	Health And Safety Inspection (1m) 6278	COMP	4/1/25 12:00 AM	4/2/25 12:24 PM	4/2/25 12:24 PM	Health And Safety Inspection (1m) 6278 - Health And Safety Inspection (1m) 6278 No issues this month and all addressed as they come up
4446616			6278, Little Current WTP	PM	Calibration	1	MONTHS	Analyzer Chlorine Inspection/Service (1m) 6278	COMP	4/1/25 12:00 AM	4/8/25 11:49 AM	4/8/25 11:49 AM	Analyzer Chlorine Inspection/Service (1m) 6278 - Analyzer Chlorine Inspection/Service (1m) 6278 Pre and post unit are cleaned and calibrated on a ongoing basis. Spare caps and electrolyte on site
4446697			6278, Little Current WTP	PM	Calibration	1	MONTHS	Analyzer Turbidity Inspection/Service (1m) 6278	COMP	4/1/25 12:00 AM	4/16/25 10:45 AM	4/16/25 10:45 AM	Analyzer Turbidity Inspection/Service (1m) 6278 - Analyzer Turbidity Inspection/Service (1m) 6278 clean #1 and #2 filter ntu glassware with hypo. All in good order.

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 6278*
 Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					WorkLog Detail
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	
4448431			6278, Little Current WTP	PM	Inspection	1	MONTHS	TPM Inspection/Maintenance (1m) 6278	COMP	4/1/25 12:00 AM	4/22/25 01:29 PM	4/22/25 01:29 PM	TPM Inspection/Maintenance (1m) 6278 - TPM Inspection/Maintenance (1m) 6278 Plant n good order. ! permate pump is out for repair and will be back shortly. Change oils and grease the pumps. Clean and calibrate the #1, #2 ntu and cl2 units. All in good order and will get new door seals to increase the warmth inside and keep flies out. All ok
4448436	0000228012	GENERATOR LITTLE CURRENT WTP DIESEL	6278, Little Current WTP, Facility, Power Generation, Power Generators Permanent	PM	Refurbish/ Replace/Repair	1	MONTHS	Diesel Generator Inspection/ Functional Test (1m) 6278	COMP	4/1/25 12:00 AM	4/16/25 10:46 AM	4/16/25 10:46 AM	Diesel Generator Inspection/ Functional Test (1m) 6278 - Diesel Generator Inspection/ Functional Test (1m) 6278 Run the unit for 45 minutes and checks. All levels are ok and nattery ok. Strong running unit
4450692			6278, Little Current WTP	OPER	Compliance	1	MONTHS	WISKI Review (1m) 6278	COMP	4/1/25 12:00 AM	5/2/25 08:44 AM	5/2/25 08:44 AM	WISKI Review (1m) 6278 - WISKI Review (1m) 6278 Confirm and clomplete
4450697			6278, Little Current WTP	OPER	Compliance	1	MONTHS	WISKI Review (1m) 5823	COMP	4/1/25 12:00 AM	5/2/25 08:44 AM	5/2/25 08:44 AM	WISKI Review (1m) 5823 - WISKI Review (1m) 5823 Confirm and complete
4453209			6278, Little Current WTP	PM	Inspection	6	MONTHS	Chemical Review/Expiry Verification (6m) 6278	COMP	4/1/25 12:00 AM	4/16/25 11:09 AM	4/16/25 11:09 AM	Chemical Review/Expiry Verification (6m) 6278 - Chemical Review/Expiry Verification (6m) 6278 Check the items in the plant. All in good order and its ongoing work each day

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 6278*
 Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					WorkLog Detail
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	
4164669			6278, Little Current WTP	PM	Refurbish/ Replace/Repair	3	MONTHS	Membrane System TMP Verification (3m) 6278	COMP	4/1/25 12:00 AM	4/16/25 11:12 AM	4/16/25 11:12 AM	Membrane System TMP Verification (3m) 6278 - Membrane System TMP Verification (3m) 6278 - 17.2 onm #1 and -18.2 on #2. Units are less then 5 psi/manufactures specs

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 5823*
 Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					WorkLog Detail
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	
4445954	0000228125	PANEL ALARM/DIALER WATER MAIN PS	5823, Little Current WWTL, Process, Process Control & Monitoring	PM	Inspection	1	MONTHS	Critical Alarm/Dialer Testing (1m) 5823	COMP	4/1/25 12:00 AM	4/2/25 12:55 PM	4/2/25 12:55 PM	Critical Alarm/Dialer Testing (1m) 5823 Critical Alarm/Dialer Testing (1m) 5823 Confirm with tests and alarms working as they should
4446348			5823, Little Current WWTL	PM	HEALTH AND SAFETY	1	MONTHS	Health And Safety Inspection (1m) 5823	COMP	4/1/25 12:00 AM	4/2/25 12:56 PM	4/2/25 12:56 PM	Health And Safety Inspection (1m) 5823 - Health And Safety Inspection (1m) 5823
4447465			5823, Little Current WWTL	PM	Inspection	1	MONTHS	TPM Inspection/Maintenance (1m) 5823	COMP	4/1/25 12:00 AM	4/22/25 01:32 PM	4/22/25 01:32 PM	TPM Inspection/Maintenance (1m) 5823 TPM Inspection/Maintenance (1m) 5823 Plants are in good order and all pumps are working and alarms work Gensets tested and Campbell St will get the super vac cleaning after 1/2 load is off.
4447508	0000228106	GENERATOR CAMPBELL PS DIESEL	5823, Little Current WWTL, Facility, Power Generation, Power Generators Permanent	PM	Refurbish/ Replace/Repair	1	MONTHS	Campbell PS Diesel Generator Inspection/Functional Test (1m/1y) 5823	COMP	4/1/25 12:00 AM	4/16/25 11:05 AM	4/16/25 11:05 AM	Campbell PS Diesel Generator Inspection/Functional Test (1m/1y) 5823 Campbell PS Diesel Generator Inspection/Functional Test (1m/1y) 5823 Run for 45 minutes and all working as it should. All fluids are ok
4447550	0000228155	GENERATOR ROBINSON PS DIESEL	5823, Little Current WWTL, Facility, Power Generation, Power Generators Permanent	PM	Refurbish/ Replace/Repair	1	MONTHS	Robinson PS Diesel Generator Inspection/Functional Test (1m/1y) 5823	COMP	4/1/25 12:00 AM	4/8/25 11:55 AM	4/8/25 11:55 AM	Robinson PS Diesel Generator Inspection/Functional Test (1m/1y) 5823 Robinson PS Diesel Generator Inspection/Functional Test (1m/1y) 5823 Unit ran for 30 minutes and all working as it should. Fluids ok

Workorder Summary Report

Report Start Date: Apr 1, 2025 12:00 AM
 Report End Date: Apr 30, 2025 11:59 PM
 Location: 5823*
 Work Order Type: ADMIN,CALL,CAP,CORR,EMER,OPER,PM
 Work Order Class:

				WorkOrder		PM Schedule		Workorder Details					WorkLog Detail
WO #	Asset ID	Asset Description	Location Description	Type	Class	FEQ	Units	Work Order Description	Status	Schedule Start	Actual Start	Actual Finish	
447598	0000228136	GENERATOR WATER ST PS DIESEL	5823, Little Current WWTL Facility, Power Generation, Power Generators Permanent	PM	Refurbish/ Replace/Repair	1	MONTHS	Water ST PS Diesel Generator Inspection/Functional Test (1m/ly) 5823	COMP	4/1/25 12:00 AM	4/8/25 11:59 AM	4/8/25 11:59 AM	
447715	0000228118	GENERATOR WATER MAIN PS DIESEL	5823, Little Current WWTL Facility, Power Generation, Power Generators Permanent	PM	Refurbish/ Replace/Repair	1	MONTHS	Water Main PS Diesel Generator Inspection/Functional Test (1m/ly) 5823	COMP	4/1/25 12:00 AM	4/8/25 11:58 AM	4/8/25 11:58 AM	Water Main PS Diesel Generator Inspection/Functional Test (1m/ly) 5823 Water Main PS Diesel Generator Inspection/Functional Test (1m/ly) 5823 Unit ran for 35 minutes and all ok Fluids are ok and no issues